



RISHABH



# REDEFINING EFFICIENCY

**Smart Solutions for a  
Sustainable Future**

TMI Expertise


Price List | Edition 2026-27



Delhi Trading Company

# Index

<b>TMI Expertise</b>	<b>Page No.</b>
Digital Clamp Meters	1
Insulation Testers	2
Earth Testers	10
Earth Testers & Low Resistance Meters	13
Terms and conditions	15



# Digital Clamp Meters



Material Code	Model No	Description	Digits / Counts	Category	LP (INR)
IT91-2010000000000	Agam ALCT 66A	AC Leakage Clamp Meter 0.001mA to 60A	[4], 9999	CAT II	19,070
IT91-3010000000000	Agam ALCT 606A	AC Leakage Clamp Meter 0.1mA to 600A			22,495
IT91-4010000000000	Agam ALCT 60A	AC/DC Leakage Clamp Meter up to 60A		CAT III	24,420

\$ For productwise approbations, please contact local sales office



# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
---------------	----------	-------------	-----------------------------	---------------	----------

IT91-101000000000	Agam AIT 501	5kV Digital Insulation Tester	Upto 1TΩ	5kV	43,225
-------------------	--------------	-------------------------------	----------	-----	--------

Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
---------------	----------	-------------	-----------------------------	---------------	----------

## Analog Low-Voltage Insulation Testers

IT84-011100000000	ITHV-2525	ITHV2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	9,545
IT84-021100000000	ITHV-2550	ITHV2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)		
IT84-031100000000	ITHV-25100	ITHV25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)	5kV	10,540
IT84-041100000000	ITHV-25200	ITHV25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)		
IT84-101100000000	ITHV-25500	ITHV25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)		
IT84-051100000000	ITHV-5050	ITHV5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	12,480
IT84-061100000000	ITHV-50100	ITHV50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)		
IT84-071100000000	ITHV-50200	ITHV50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)	5kV	13,445
IT84-081100000000	ITHV-50500	ITHV50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)		
IT84-091100000000	ITHV-501000	ITHV501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)		

## Upgradation Cost for ITHV Series

To order ITHV with Dual Insulation Range**	1,560
To order ITHV Dual Insulation Range with Dual Voltage**	3,475

\*\*Net price = LP of Upgradation + LP of Higher Insulation range model

\$ For productwise approvals, please contact local sales office

# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>IT / ITI / ITI-V Series Metal Body with guard terminals (IS:2992)</b>					
IT83-0111000000000	ITI-102	ITI 102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	
IT83-0211000000000	ITI-105	ITI 105 1M STD BOX	0-50 MΩ (Voltage - 100V)		
IT83-0311000000000	ITI-252	ITI 252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	5,705
IT83-0411000000000	ITI-255	ITI 255 1M STD BOX	0-50 MΩ (Voltage - 250V)		
IT83-0511000000000	ITI-5010	ITI5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	
IT83-0611000000000	ITI-5020	ITI5020 1M STD BOX	0-200 MΩ (Voltage - 500V)		
IT83-0711000000000	ITI-5050	ITI5050 1M STD BOX	0-500 MΩ (Voltage - 500V)		
IT83-0811000000000	ITI-50100	ITI50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)		
IT83-0911000000000	ITI-50200	ITI50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)	500 V	6,330
IT83-1011000000000	ITI-10010	ITI10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)		
IT83-1111000000000	ITI-10020	ITI10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	
IT83-1211000000000	ITI-10050	ITI10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)		
IT83-1311000000000	ITI-100100	ITI100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)		
IT83-1411000000000	ITI-100200	ITI100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V	6,730
IT83-1511000000000	ITI-100100	ITI100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)		
IT83-1511000000000	ITI-V-5010	ITIV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	6,330
IT83-1611000000000	ITI-V-10020	ITIV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)		

\$ For productwise approbations, please contact local sales office

# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>Analog Multi range Insulation Testers</b>					
<b>ITMR Series (Hand Driven Generator Type)</b>					
IT85-0111000000000	ITMR-1-122	ITMR-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V) 0.2-200 MΩ (Voltage - 100V)	100V	8,565
IT85-0211000000000	ITMR-1-255	ITMR-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V) 0.5-500 MΩ (Voltage - 250V)	250V	
IT85-0311000000000	ITMR-1-5110	ITMR-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V) 0-1000 MΩ (Voltage - 500V)	500 V	
IT85-0411000000000	ITMR-1-10220	ITMR-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V) 0-2000 MΩ (Voltage - 1000V)	1000V	
IT85-0511000000000	ITMR-2-51102	ITMR-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V) 0-200 MΩ (Voltage - 100V)	500V, 100V	9,800
IT85-0611000000000	ITMR-2-101202	ITMR-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-200 MΩ (Voltage - 100V)	1000V, 100V	
IT85-0711000000000	ITMR-2-1052010	ITMR-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-1000 MΩ (Voltage - 500V)	1000V, 500V	

\$ For productwise approbations, please contact local sales office

# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>Analog Multi range Insulation Testers</b>					
<b>ITMR Series (Hand Driven Generator Type)</b>					
IT85-081100000000	ITMR-3	ITMR-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ	1000V, 500V, 250V	14,260
IT85-091100000000	ITMR-4	ITMR-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	13,045

\$ For productwise approbations, please contact local sales office



# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>ITHV Series - PC Body with guard terminals (IS:2992)</b>					
IT84-3611000000P00	ITHVP-2525	ITHVP2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	7,075
IT84-2011000000P00	ITHVP-2550	ITHVP2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)		
IT84-2111000000P00	ITHVP-25100	ITHVP25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)		
IT84-3511000000P00	ITHVP-25200	ITHVP25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)		
IT84-2311000000P00	ITHVP-25500	ITHVP25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)		
IT84-2611000000P00	ITHVP-5050	ITHVP5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	9,255
IT84-2211000000P00	ITHVP-50100	ITHVP50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)		
IT84-2511000000P00	ITHVP-50200	ITHVP50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)		
IT84-2711000000P00	ITHVP-50500	ITHVP50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)		
IT84-2411000000P00	ITHVP-501000	ITHVP501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)		
<b>ITS / ITS-C Series Polycarbonate Body</b>					
IT80-3110000000000	ITS-5010	ITS 5010 1M CROC CLIP STD BOX	100 MΩ	500 V	2,570
IT80-4110000000000	ITS-10020	ITS 10020 1M CROC CLIP STD BOX	200 MΩ	1000 V	2,640
IT82-3120000000000	ITC-5010	ITC 5010 1M STD BOX with continuity	100 MΩ (Voltage - 500V)	500 V	2,500
IT82-4120000000000	ITC-10020	ITC 10020 1M STD BOX with continuity	200 MΩ (Voltage - 500V)	1000 V	2,730

\$ For productwise approbations, please contact local sales office

# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>ITI / ITI-V Series PC Body with guard terminals (IS:2992)</b>					
IT83-2711000000P00	ITIP-102	ITIP102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	5,020
IT83-2811000000P00	ITIP-105	ITIP105 1M STD BOX	0-50 MΩ (Voltage - 100V)		5,020
IT83-3111000000P00	ITIP-252	ITIP252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	5,020
IT83-3211000000P00	ITIP-255	ITIP255 1M STD BOX	0-50 MΩ (Voltage - 250V)		5,020
IT83-2011000000P00	ITIP-5010	ITIP5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	5,020
IT83-2211000000P00	ITIP-5020	ITIP5020 1M STD BOX	0-200 MΩ (Voltage - 500V)		5,020
IT83-2311000000P00	ITIP-5050	ITIP5050 1M STD BOX	0-500 MΩ (Voltage - 500V)		5,570
IT83-2411000000P00	ITIP-50100	ITIP50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)		5,570
IT83-2511000000P00	ITIP-50200	ITIP50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)		5,570
IT83-3311000000P00	ITIP-10010	ITIP10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)		5,570
IT83-2111000000P00	ITIP-10020	ITIP10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	5,570
IT83-2611000000P00	ITIP-10050	ITIP10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)		5,930
IT83-2911000000P00	ITIP-100100	ITIP100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)		5,930
IT83-3010000000P00	ITIP-100200	ITIP100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)		5,930
IT83-3411000000P00	ITIP-V-5010	ITIPV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	5,280
IT83-3511000000P00	ITIP-V-10020	ITIPV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)		5,445

\$ For productwise approbations, please contact local sales office

# Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
<b>ITMR Series PC Body with guard terminals (IS:2992)</b>					
IT85-1211000000P00	ITMRP-1-122	ITMRP-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	6,355
			0.2-200 MΩ (Voltage - 100V)		
IT85-1311000000P00	ITMRP-1-255	ITMRP-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V)	250V	6,355
			0.5-500 MΩ (Voltage - 250V)		
IT85-1411000000P00	ITMRP-1-5110	ITMRP-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	6,355
			0-1000 MΩ (Voltage - 500V)		
IT85-1511000000P00	ITMRP-1-10220	ITMRP-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V)	1000V	6,355
			0-2000 MΩ (Voltage - 1000V)		
IT85-1611000000P00	ITMRP-2-51102	ITMRP-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V)	500V, 100V	7,265
			0-200 MΩ (Voltage - 100V)		
IT85-1711000000P00	ITMRP-2-101202	ITMRP-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V, 100V	7,265
			0-200 MΩ (Voltage - 100V)		
IT85-1011000000P00	ITMRP-2-1052010	ITMRP-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V)	1000V, 500V	7,265
			0-1000 MΩ (Voltage - 500V)		

\$ For productwise approbations, please contact local sales office

# Insulation Testers

\$



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
ITMR Series PC Body with guard terminals (IS:2992)					
IT85-1811000000P00	ITMRP-3	ITMRP-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ & Discharge	1000V, 500V, 250V	10,575
IT85-1111000000P00	ITMRP-4	ITMRP-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	9,675

\$ For productwise approbations, please contact local sales office



# Earth Testers



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
<b>Earth &amp; Continuity Testers – Analog</b>				
<b>ET Series (IS:9223) - Direct Indicating Type (Four Terminals)</b>				
<b>Single Range</b>				
EA01-0110000000000	SET-3	SET 3 STD BOX	0-3 Ω	5,795
EA01-0210000000000	SET-10	SET 10 1M STD BOX	0-10 Ω	
EA01-0310000000000	SET-50	SET 50 STD BOX	0-50 Ω	
EA01-0410000000000	SET-100	SET 100 1M STD BOX	0-100 Ω	
EA01-0510000000000	SET-500	SET 500 1M STD BOX	0-500 Ω	
<b>Double Range</b>				
EA01-0610000000000	DET-1	DET 1 STD BOX	0-1 Ω / 0-10 Ω	6,150
EA01-0710000000000	DET-10	DET 10 1M STD BOX	0-10 Ω / 0-100 Ω	
EA01-0810000000000	DET-20	DET 20 STD BOX	0-20 Ω / 0-200 Ω	
EA01-0910000000000	DET-50	DET 50 STD BOX	0-50 Ω / 0-500 Ω	
EA01-1010000000000	DET-100	DET 100 STD BOX	0-100 Ω / 0-1000 Ω	
EA01-1110000000000	DET-500	DET 500 STD BOX	0-500 Ω / 0-5000 Ω	

\$ For productwise approbations, please contact local sales office

# Earth Testers



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
<b>Earth &amp; Continuity Testers – Analog</b>				
<b>ET Series (IS:9223) - Direct Indicating Type (Four Terminals)</b>				
<b>Triple Range</b>				
EA01-1210000000000	TET-1	TET 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	6,625
EA01-1310000000000	TET-3	TET 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	
EA01-1410000000000	TET-5	TET 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	
EA01-1510000000000	TET-10	TET 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	
EA01-1610000000000	TET-50	TET 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	
<b>Four Range</b>				
EA01-1710000000000	FET-1	FET 1 STD BOX	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	7,085
EA01-1810000000000	FET-3	FET 3 STD BOX	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	
EA01-1910000000000	FET-10	FET 10 STD BOX	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	
<b>Digital Earth Tester</b>				
EA51-1011000000000	*AET 23 (w/o kit) <span style="color:red">EOL</span>	Digital Earth Tester w/o kit	0-20Ω/0-200Ω/0-2000Ω	11,250
EA51-1010000000000	*AET 23 (with kit) <span style="color:red">EOL</span>	Digital Earth Tester with kit	0-20Ω/0-200Ω/0-2000Ω	16,230
EA51-2010000000000	AECT 12	Digital Earth Clamp Tester	1200Ω	44,290

\* Available till stocks last

\$ For productwise approbations, please contact local sales office

# Earth Testers



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
<b>Earth &amp; Continuity Testers – Analog</b>				
<b>ET Series (IS:9223) - Direct Indicating Type (Four Terminals)</b>				
<b>PC Body Single Range</b>				
EA01-2210000000P00	SETP-3	SETP 3 STD BOX	0-3 Ω	4,300
EA01-2210000000P00	SETP-10	SETP 10 1M STD BOX	0-10 Ω	
EA01-2210000000P00	SETP-50	SETP 50 STD BOX	0-50 Ω	
EA01-2210000000P00	SETP-100	SETP 100 1M STD BOX	0-100 Ω	
EA01-2610000000P00	SETP-500	SETP 500 1M STD BOX	0-500 Ω	
<b>PC Body Double Range</b>				
EA01-2710000000P00	DETP-1	DETP 1 STD BOX	0-1 Ω / 0-10 Ω	4,560
EA01-2910000000P00	DETP-10	DETP 10 1M STD BOX	0-10 Ω / 0-100 Ω	
EA01-3010000000P00	DETP-20	DETP 20 STD BOX	0-20 Ω / 0-200 Ω	
EA01-3110000000P00	DETP-50	DETP 50 STD BOX	0-50 Ω / 0-500 Ω	
EA01-3210000000P00	DETP-100	DETP 100 STD BOX	0-100 Ω / 0-1000 Ω	
EA01-3310000000P00	DETP-500	DETP 500 STD BOX	0-500 Ω / 0-5000 Ω	
<b>PC Body Triple Range</b>				
EA01-3410000000P00	TETP-1	TETP 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	4,910
EA01-3510000000P00	TETP-3	TETP 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	
EA01-3610000000P00	TETP-5	TETP 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	
EA01-3710000000P00	TETP-10	TETP 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	
EA01-3810000000P00	TETP-50	TETP 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	

\$ For productwise approvals, please contact local sales office

# Earth Testers & Low Resistance Meters



Material Code	Model No	Description	Earth Resistance Range	LP (INR)
<b>Earth &amp; Continuity Testers – Analog</b>				
<b>ET Series (IS:9223) - Direct Indicating Type (Four Terminals)</b>				
<b>PC Body Four Range</b>				
EA01-3910000000P00	FETP-1	FETP-1	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	5,260
EA01-4010000000P00	FETP-3	FETP-3	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	
EA01-4110000000P00	FETP-10	FETP-10	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	

Material Code	Model No	Description	Resistance Range	LP (INR)
EA51-31000000000AG	AMT 13 <span style="color: red; font-weight: bold;">NEW</span>	Micro Ohm Tester	1μΩ to 300kΩ	37,185

\$ For productwise approbations, please contact local sales office



# Accessories



Optional Accessories for Insulation/Earth/Continuity Testers		LP (INR)
ITS	Probe Assembly black for Polycarbonate Body	530
ITI/ ITI-V/ITHV/ITMR	Test Leads 1 Mtr Long	635
ITI/ ITI-V/ITHV/ITMR	Test Leads 3 Mtrs Long	880
ITS	Rexine Carrying Case	665
ITI/ ITI-V/ITHV/ITMR/ET	Rexine Carrying Case	665
Kit of Earth Tester Models ET Series	Consisting of - 4 M.S. spikes length 45 cms each approx., 1 Spike Lifting Rod, 3 Rolls of flexible wire wound on Spool (30m app), 5m Loose Wire, 1 Hammer, 1 Rexine Carrying Case (Not as per IS Standard)	3,315
Re-calibration Charges with Certificate for ITS/ITS-V/ITI/ITI-V/ITHV/ITMR/ET Models		440
AIT 501 10m leads set		5,830
AIT 501 standard leads set		3,625

\$ For productwise approbations, please contact local sales office

## Terms & Conditions

- This price list supersedes all previous editions.
- All prices are quoted in INR.
- Prices are subject to change without prior notice.
- Listed prices are exclusive of all applicable taxes and duties.
- Prices applicable will be those prevailing on the date of dispatch.
- Minimum order value criteria must be adhered to while placing orders.
- The company reserves the right to accept or reject any order at its discretion.
- For non-standard requirements, please contact the nearest Sales Office for technical feasibility, pricing, and delivery details.

## Warranty

- All products listed in this price list carry a warranty of 18 months from the date of purchase or 12 months from the date of commissioning, whichever is earlier, against manufacturing defects, unless otherwise specified.

## Notes

- To facilitate ordering, please use the product configurator.
- As part of our continuous product improvement efforts, specifications, technical information and pricing are subject to change without prior notice. Please connect with our Sales Office for the latest information.
- For detailed technical specifications, refer to the respective datasheets. Specifications provided in this price list are abbreviated for ease of reference. Product selection should be based on the latest datasheets.
- Product approvals mentioned in this price list are generic in nature. For product-specific approvals, please contact the nearest Sales Office.



RISHABH

**We Measure The Future**

**RISHABH INSTRUMENTS LIMITED**

Domestic (India): +91 253 2202099 | [marketing@rishabh.co.in](mailto:marketing@rishabh.co.in) | [www.rishabh.co.in](http://www.rishabh.co.in)